## ASSIGNMENT 1

Textbook Assignment:

"Introduction to Basic Radar," chapter 1, pages 1-1 through 1-8; and "Radar Systems Equipment Configuration," chapter 2, pages 2-1 through 2-6.

- 1-1. A radar transmits a pulse, and 309 µsec later the radar receives an echo. What is the number of nautical miles between the radar and the contact?
  - 1. 6.1
  - 2. 12.2
  - 3. 25
  - 4. 50
- 1-2. Which method of transmitting radar energy works well with stationary or slow- moving targets, but is not satisfactory for locating fast-moving objects?
  - 1. AM
  - 2. CW
  - 3. FM
  - 4. Pulse
- 1-3. A radar cannot determine range if it uses which of the following types of energy transmission?
  - 1. AM
  - 2. CW
  - 3. FM
  - 4. Pulse
- 1-4. Which of the following methods of energy transmission is used to a great extent in Navy radars?
  - 1. AM
  - 2. CW
  - 3. FM
  - 4. Pulse
- 1-5. Which radar unit permits the use of a single antenna for both transmit and receive functions?
  - 1. Antenna
  - 2. Duplexer
  - 3. Indicator
  - 4. Modulator

- 1-6. Which of the following radar units supplies rf energy of high power for short time intervals?
  - 1. Transmitter
  - 2. Receiver
  - 3. Modulator
  - 4. Duplexer
- 1-7. Which of the following radar units ensures that intervals between pulses are of the proper length?
  - 1. Transmitter
  - 2. Receiver
  - 3. Modulator
  - 4. Antenna
- 1-8. Which of the following radar units passes the echo to the receiver with minimum loss?
  - 1. Transmitter
  - 2. Duplexer
  - 3. Modulator
  - 4. Antenna
- 1-9. Which of the following radar units converts the weak rf echo to a discernable video signal?
  - 1. Duplexer
  - 2. Modulator
  - 3. Receiver
  - 4. Indicator
- 1-10. Which of the following radar units generates all necessary timing pulses?
  - 1. Duplexer
  - 2. Modulator
  - 3. Receiver
  - 4. Indicator

- 1-11. Which of the following radar units converts the video output of the receiver to a visual display?
  - 1. Duplexer
  - 2. Modulator
  - 3. Antenna
  - 4. Indicator
- 1-12. Which of the following radar units ensures that all subsystems operate in a definite time relationship?
  - 1. Duplexer
  - 2. Modulator
  - 3. Antenna
  - 4. Indicator
- 1-13. Which of the following radar units converts the echo to an intermediate frequency?
  - 1. Duplexer
  - 2. Antenna
  - 3. Indicator
  - 4. Receiver
- 1-14. Which of the following characteristics influence(s) radar range performance?
  - 1. Height of antenna
  - Peak power of the transmitted pulse
  - 3. Receiver sensitivity
  - 4. All of the above
- 1-15. Which of the following external characteristics influence(s) radar performance?
  - 1. Darkness
  - 2. Rain
  - 3. PMS
  - 4. Both 2 and 3 above
- 1-16. Which of the following methods should you use to do a radar surface angular measurement?
  - Measure counterclockwise from true north
  - Measure clockwise from true north
  - Measure clockwise from the heading line of the ship
  - 4. Both 2 and 3 above

- 1-17. To determine if an echo is a false target or a true target, what radar characteristic should you change?
  - 1. PW
  - 2. STC
  - 3. PRR
  - 4. RPM
- 1-18. Which of the following radar reference coordinates is an imaginary plane parallel to the earth's surface?
  - 1. Horizontal plane
  - 2. Vertical plane
  - 3. Los
  - 4. Relative bearing
- 1-19. Which of the following radar reference coordinates is a line from the radar set directly to the object?
  - 1. Horizontal plane
  - 2. Vertical plane
  - 3. LOS
  - 4. Relative bearing
- 1-20. Which of the following radar reference coordinates is the angle measured clockwise from true north in the horizontal plane?
  - 1. Relative bearing
  - 2. Elevation angle
  - 3. True azimuth angle
  - 4. Vertical plane
- 1-21. Which of the following radar reference coordinates is the angle measured clockwise from the centerline of a ship or aircraft?
  - 1. Relative bearing
  - 2. Elevation angle
  - 3. Azimuth angle
  - 4. True bearing

- 1-22. Which of the following radar reference coordinates is the plane in which all angles in the up direction are measured?
  - 1. Horizontal plane
  - 2. Vertical plane
  - 3. Los
  - 4. Elevation angle
- 1-23. Which of the following radar reference coordinates is the angle between the horizontal plane and LOS?
  - 1. Relative bearing
  - 2. Azimuth angle
  - 3. Elevation angle
  - 4. True bearing
- 1-24. Which of the following factors will effect range performance if the leading edge of the rf pulse is sloping?
  - 1. An increased pulse width
  - Lack of definite point of measurement for elapsed time on the indicator time base
  - 3. A weaker return echo
  - 4. A decrease in frequency
- 1-25. Which of the following antenna characteristics will provide greater range capability?
  - 1. Higher antenna
  - 2. Wider beam width
  - 3. Faster rotation
  - 4. Electronic scanning
- 1-26. A radar's ability to detect bearing is determined by which of the following characteristics?
  - 1. Transmit power out
  - 2. Echo signal strength
  - 3. Receiver sensitivity
  - 4. All of the above

- 1-27. Which of the following systems are positioned to the point of maximum signal return?
  - Weapons control and surface search
  - 2. Surface search and guidance
  - 3. Guidance and weapons control
  - 4. Guidance and navigation
- 1-28. The refraction index of the lowest few-hundred feet of atmosphere will cause a ducting affect on radar waves. Ducting may cause which of the following results?
  - Increased bending of radar waves
  - 2. Extended radar horizon
  - 3. Reduced radar horizon
  - 4. All of the above
- 1-29. When using a high-frequency radar during a heavy rain storm, you should expect which of the following results?
  - 1. Minimum range will increase
  - 2. Usable range will be reduced
  - 3. Range resolution will decrease
  - 4. Range ability will NOT change
- 1-30. Using table 1-1, classify the AN/GPN-27.
  - Fixed radar for detecting and searching
  - Portable sound in air for fire control or searchlight directing
  - Mobile radar for detecting and searching
  - 4. General radar for navigation
  - 1-31. Which of the following types of radars would be used to track an aircraft over land?
    - 1. Surface search radar
    - 2. Fire control tracking radar
    - 3. Air search radar
    - 4. Height-finding radar

- 1-32. Which of the following types of 1-38. Which of the following types of radars would be used to provide precise information for initial positioning of fire control tracking radars?
  - 1. Height-finding radar
  - 2. Air search radar
  - 3. Surface search radar
  - 4. Navigation radar
- Which of the following types of 1-33. radars would be used to control aircraft during a search and rescue operation?
  - 1. Surface search radar
  - 2. Air search radar
  - 3. Height-finding radar
- Which of the following types of 1-34. radars would be used to aid in scouting?
  - 1. Height-finding radar
  - 2. Fire control tracking radar
  - 3. Surface search radar
  - 4. Air search radar
- Which of the following types of radars would be used to guide CAP to an interception point using bearing and range only?
  - 1. Surface search radar
  - 2. Air search radar
  - 3. Height-finding radar
  - 4. Navigation radar
- Which of the following types of 1-36. radars would be used to track a weather balloon?
  - 1. Navigation radar
  - 2. Air search radar
  - 3. Surface search radar
  - 4. Height-finding radar
- Which of the following types of radars could be used for surface search in an emergency?
  - 1. Fire control tracking radar
  - 2. Air search radar
  - 3. Height-finding radar
  - 4. GCA/CCA

- radars would be used to facilitate station keeping?
  - Height-finding radar
  - 2. Air search radar
  - Surface search radar
  - 4. GCA/CCA
- 1-39. Which of the following types of radars would be used to aid in controlling small craft during a search and rescue operation?
  - 1. Air search radar
  - 2. Height-finding radar
  - 3. Surface search radar
  - 4. Fire control tracking radar
- 4. Fire control tracking radar 1-40. Which of the following types of radars would be used to detect submarine periscopes?
  - Surface search radar
  - 2. Fire control tracking radar
  - 3. Air search radar
  - 4. Height-finding radar
  - 1-41. On an AO class ship, what radar is used as the primary surface search and navigation radar?
    - 1. AN/SPS-40E
    - 2. AN/SPS-55
    - 3. AN/SPS-64(V)9
    - 4. AN/SPS-67(V)1
  - 1-42. Which of the following radars replaces a variety of small commercial radars?
    - 1. AN/SPS-40E
    - 2. AN/SPS-55
    - 3. AN/SPS-64(V)9
    - 4. AN/SPS-67(V)1
  - Which of the following radars was 1-43. developed to detect small surface targets from a range of 50 yards to the radar horizon?
    - 1. AN/SPS-40E
    - 2. AN/SPS-55
    - 3. AN/SPS-64(V)9
    - 4. AN/SPS-67(V)3

- 1-44. A technician must have formal training to work on which of the following equipments, if any?
  - 1. AN/SPS-64(V)9
  - 2. AN/SPS-40E
  - 3. AN/SPA-25G
  - 4. None of the above
- 1-45. If you were unable to isolate a fault in your radar system, you could request assistance from which of the following sources?
  - 1. NAVSEACEN
  - 2. MOTU
  - 3. A tender
  - 4. All of the above
- 1-46. Which of the following radars performs navigation, station keeping, and general surface search functions on the DDG 51 class ship?
  - 1. AN/SPS-55
  - 2. AN/SPS-64(V)9
  - 3. AN/SPS-65(V)1
  - 4. AN/SPS-67(V)3
- 1-47. An AN/SPS-67(V) radar operating in a short pulse mode will have what pulse repetition frequency?
  - 1. 750
  - 2. 1200
  - 3. 2400
  - 4. 9600
- 1-48. The AN/SPS-10 antenna and pedestal assembly on your ship has just been replaced with a low-profile, nuclear-survivable antenna assembly. What new radar has been installed?
  - 1. AN/SPS-67(V)1
  - 2. AN/SPS-67(V)2
  - 3. AN/SPS-67(V)3
  - 4. AN/SPS-64(V)9
- 1-49. At which unit of an AN/SPS-67(V) will the dummy load be mounted?
  - 1. Video processor unit
  - 2. Receiver-transmitter unit
  - 3. Antenna controller unit
  - 4. Radar set control unit

- 1-50. The AN/SPS-67(V)1 radar will NOT interface with which of the following systems?
  - 1. AN/USQ-82(V)
  - 2. AN/ALA-10()
  - 3. AN/SPA-25()
  - 4. AN/SPG-55B